

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		22 and (2 or "30"	US-PGRUB; USPAT	OR	ON	2012/05/10 11:21
		5 with template	US-PGRUB; USPAT	OR	ON	2012/05/10 11:08
		S18 and s10	US-PGRUB; USPAT	OR	ON	2012/05/10 11:02
		S19 or S20	US-PGRUB; USPAT	OR	ON	2012/05/10 11:02
		S8 and S9 and S10	US-PGRUB; USPAT	OR	ON	2012/05/10 11:00
L1	149000	(functor or function or functional or functionoid) near3 (request\$6 or object\$6 or pointer)	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L2	1663167	simulat\$8 or model\$8 or forecast\$8 or iterativ\$8 near2 process\$8 or artificial near2 intelligence or decision near2 tree	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L3	2697970	train\$6 or test\$6 or predict\$6	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L4	108967	object-orient\$8 or object near2 orient\$6	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L5	792273	object\$6 and class\$6	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L6	845955	L4 or L5	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L7	3360440	L2 or L3	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L8	49442	L1 and L7 and L6	US-PGRUB; USPAT	OR	ON	2012/05/10 11:03
L9	41992	2 and 8	US-PGRUB; USPAT	OR	ON	2012/05/10 11:06
L10	38183	5 and 9	US-PGRUB; USPAT	OR	ON	2012/05/10 11:07
L11	14447	10 and @ad<"20030312"	US-PGRUB; USPAT	OR	ON	2012/05/10 11:07
L12	9876	class\$6 with template	US-PGRUB; USPAT	OR	ON	2012/05/10 11:09
L13	55849	2 with class\$6	US-PGRUB; USPAT	OR	ON	2012/05/10 11:09
L14	2823	12 and 13	US-PGRUB; USPAT	OR	ON	2012/05/10 11:09
L15	551	11 and 14	US-PGRUB; USPAT	OR	ON	2012/05/10 11:09
L16	28002	705/35-45.cds.	US-PGRUB; USPAT	OR	ON	2012/05/10 11:10

L17	106109	"705".clas.	US-PGRUB; USPAT	OR	ON	2012/05/10 11:10
L18	8	15 and 16	US-PGRUB; USPAT	OR	ON	2012/05/10 11:11
L19	51	15 and 17	US-PGRUB; USPAT	OR	ON	2012/05/10 11:11
L20	43	19 not 18	US-PGRUB; USPAT	OR	ON	2012/05/10 11:14
L21	161	functor	US-PGRUB; USPAT	OR	ON	2012/05/10 11:20
L22	70	21 and @ad<"20030312"	US-PGRUB; USPAT	OR	ON	2012/05/10 11:20
L23	60	22 and 2	US-PGRUB; USPAT	OR	ON	2012/05/10 11:21
L24	48	22 and 3	US-PGRUB; USPAT	OR	ON	2012/05/10 11:21
L25	24841	(functor or function or functional or functionoid) near3 (request\$6 or object\$6 or pointer)	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:52
L26	526233	simulat\$8 or model\$8 or forecast\$8 or iterativ\$8 near2 process\$8 or artificial near2 intelligence or decision near2 tree	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:52
L27	12048	object-orient\$8 or object near2 orient\$6	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:52
L28	235551	object\$6 and class\$6	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:53
L29	245305	27 or 28	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:53
L30	254	25 and 26 and 29	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:53
L31	0	21 and @ad<"20030312"	USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/05/10 11:53
S1	149000	(functor or function or functional or functionoid) near3 (request\$6 or object\$6 or pointer)	US-PGRUB; USPAT	OR	ON	2012/05/10 10:44
S2	56556	S1 with (data or program\$9 or instruction\$9 or software or operat\$9 or c++ or java or python or smalltalk or pascal)	US-PGRUB; USPAT	OR	ON	2012/05/10 10:46

S3	1551722	(functor or function or functional or functionoid) with (data or program\$9 or instruction\$9 or software or operat\$9 or c++ or java or python or smalltalk or pascal)	US-PGPUB; USPAT	OR	ON	2012/05/10 10:47
S4	1663167	simulat\$8 or model\$8 or forecast\$8 or iterativ\$8 near2 process\$8 or artificial near2 intelligence or decision near2 tree	US-PGPUB; USPAT	OR	ON	2012/05/10 10:52
S5	2697970	train\$6 or test\$6 or predict\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 10:52
S6	108967	object-orient\$8 or object near2 orient\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 10:53
S7	792273	object\$6 and class\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 10:53
S8	845955	S6 or S7	US-PGPUB; USPAT	OR	ON	2012/05/10 10:55
S9	1588847	S1 or S2 or S3	US-PGPUB; USPAT	OR	ON	2012/05/10 10:55
S10	3360440	S4 or S5	US-PGPUB; USPAT	OR	ON	2012/05/10 10:56
S11	149000	(functor or function or functional or functionoid) near3 (request\$6 or object\$6 or pointer)	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S12	56556	S11 with (data or program\$9 or instruction\$9 or software or operat\$9 or c++ or java or python or smalltalk or pascal)	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S13	1551722	(functor or function or functional or functionoid) with (data or program\$9 or instruction\$9 or software or operat\$9 or c++ or java or python or smalltalk or pascal)	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S14	108967	object-orient\$8 or object near2 orient\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S15	792273	object\$6 and class\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S16	845955	S14 or S15	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S17	1588847	S11 or S12 or S13	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S18	325286	S16 and S17	US-PGPUB; USPAT	OR	ON	2012/05/10 11:00
S19	1663167	simulat\$8 or model\$8 or forecast\$8 or iterativ\$8 near2 process\$8 or artificial near2 intelligence or decision near2 tree	US-PGPUB; USPAT	OR	ON	2012/05/10 11:02
S20	2697970	train\$6 or test\$6 or predict\$6	US-PGPUB; USPAT	OR	ON	2012/05/10 11:02

5/ 10/ 2012 11:54:54 AM

C:\Users\schandler\Documents\EAST\Workspaces\10800270ModelingandForecastingSystem4.wsp